

6. (Amended) The float for a liquid waste disposal apparatus according to claim 1, wherein an absorption stop valve is arranged at an inner side of an upper portion of the container in which the absorption stop valve is activated when pushed upwards by an upward-pushing portion.

[Please substitute the amended Claim 7 for the original Claim 7 as follows:]

7. (Amended) The float for a liquid waste disposal apparatus according to claim 1, wherein the solidifying agent retaining portion is open downward and has a water permeable sheet or a water-soluble film spread and stretched at thus opening portion.

[Please substitute the amended Claim 8 for the original Claim 8 as follows:]

8. (Amended) The float for a liquid waste disposal apparatus according to claim 1, wherein the float is structured so that a specific gravity would be less than 1.

[Please substitute the amended Claim 9 for the original Claim 9 as follows:]

9. (Amended) The float for a liquid waste disposal apparatus according to claim 1 in which at least one portion is of a florescent color or is of a color distinguishable between a color of the liquid waste.

Kindly add new Claims 10-32 as follows:

10. The float for a liquid waste disposal apparatus according to claim 2, wherein the flow path is structured having an interstitial portion formed between the sidewall of the float body and the inner wall of the container and/or an interstitial portion formed between the float body and the guide member arranged at the outer peripheral portion of the float body.

11. The float for a liquid waste disposal apparatus according to claim 2, wherein an absorption stop valve is arranged at an inner side of an upper portion of the container in which the absorption stop valve is activated when pushed upwards by an upward-pushing portion.

12. The float for a liquid waste disposal apparatus according to claim 3, wherein an absorption stop valve is arranged at an inner side of an upper portion of the container in which the absorption stop valve is activated when pushed upwards by an upward-pushing portion.

13. The float for a liquid waste disposal apparatus according to claim 4, wherein an absorption stop valve is arranged at an inner side of an upper portion of the container in which the absorption stop valve is activated when pushed upwards by an upward-pushing portion.

14. The float for a liquid waste disposal apparatus according to claim 5, wherein an absorption stop valve is arranged at an inner side of an upper portion of the container in which the

3  
09888453-062701

absorption stop valve is activated when pushed upwards by an upward-pushing portion.

15. The float for a liquid waste disposal apparatus according to claim 2, wherein the solidifying agent retaining portion is open downward and has a water permeable sheet or a water-soluble film spread and stretched at thus opening portion.

16. The float for a liquid waste disposal apparatus according to claim 3, wherein the solidifying agent retaining portion is open downward and has a water permeable sheet or a water-soluble film spread and stretched at thus opening portion.

17. The float for a liquid waste disposal apparatus according to claim 4, wherein the solidifying agent retaining portion is open downward and has a water permeable sheet or a water-soluble film spread and stretched at thus opening portion.

18. The float for a liquid waste disposal apparatus according to claim 5, wherein the solidifying agent retaining portion is open downward and has a water permeable sheet or a water-soluble film spread and stretched at thus opening portion.

19. The float for a liquid waste disposal apparatus according to claim 6, wherein the solidifying agent retaining portion is open downward and has a water permeable sheet or a water-soluble film spread and stretched at thus opening portion.

20. The float for a liquid waste disposal apparatus according to claim 2, wherein the float is structured so that a specific gravity would be less than 1.

3  
A  
09080453.062701

21. The float for a liquid waste disposal apparatus according to claim 3, wherein the float is structured so that a specific gravity would be less than 1.

22. The float for a liquid waste disposal apparatus according to claim 4, wherein the float is structured so that a specific gravity would be less than 1.

23. The float for a liquid waste disposal apparatus according to claim 5, wherein the float is structured so that a specific gravity would be less than 1.

24. The float for a liquid waste disposal apparatus according to claim 6, wherein the float is structured so that a specific gravity would be less than 1.

25. The float for a liquid waste disposal apparatus according to claim 7, wherein the float is structured so that a specific gravity would be less than 1.

26. The float for a liquid waste disposal apparatus according to claim 2 in which at least one portion is of a florescent color or is of a color distinguishable between a color of the liquid waste.

27. The float for a liquid waste disposal apparatus according to claim 3 in which at least one portion is of a florescent color or is of a color distinguishable between a color of the liquid waste.

28. The float for a liquid waste disposal apparatus according to claim 4 in which at least one portion is of a

00888453-062701

A3

fluorescent color or is of a color distinguishable between a color of the liquid waste.

29. The float for a liquid waste disposal apparatus according to claim 5 in which at least one portion is of a fluorescent color or is of a color distinguishable between a color of the liquid waste.

30. The float for a liquid waste disposal apparatus according to claim 6 in which at least one portion is of a fluorescent color or is of a color distinguishable between a color of the liquid waste.

31. The float for a liquid waste disposal apparatus according to claim 7 in which at least one portion is of a fluorescent color or is of a color distinguishable between a color of the liquid waste.

32. The float for a liquid waste disposal apparatus according to claim 8 in which at least one portion is of a fluorescent color or is of a color distinguishable between a color of the liquid waste.